

# Model MGD-2002

## Multi-Gas Leak Locator

Leak detection made easy is the premise behind the Radiodetection MGD-2002 Multi-gas Detector. Through the use of a common tracer gas such as Helium or Hydrogen, leaks in most pressurized systems can be located with pinpoint accuracy.

Proven successes have been demonstrated for many disciplines such as Telecom's, Municipalities, Building Contractors, Plumbers, HVAC Technicians, Tank Inspectors and many more.

Whether you're identifying leaks in underground tanks, pipes, cable or tracing a leak in almost any pressurized system. The MGD-2002 has the sensitivity you'll need to accurately and efficiently locate the leak. The MGD-2002 performs equally well with either Helium or Hydrogen\* used as a tracer gas.



Helium is non-polluting, non-reacting and safe to use, making it the ideal tracer gas when applied to critical systems. In addition, the sensitivity of the MGD allows Helium to be mixed with ambient air in large volume systems further reducing the cost of use.

Convenient and easy to use, the MGD-2002 is designed for one-handed operation of all functions. Equipped with a tactile membrane keypad, all selections are easily confirmed with a distinctive "click" and the backlit display can be viewed in all light conditions. The MGD-2002 is supplied with a built-in headphone jack for use with the audio indicator.

The MGD-2002 is equipped with a rechargeable Ni- MH battery pack that provides over 8 hours of use per charge. Operating life can be further extended with an additional battery, available as an accessory that can be installed in seconds. In addition, the Multi-Gas Detector can be recharged with the AC or car adaptors included in the kit.

With only a 30 second Power-On Self Test the Multi- Gas Detector is ready to go when you are!



# Model MGD-2002

## Multi-Gas Leak Locator

### Highlights

- 🔧 Pinpoint accuracy with sensitivity from 25 PPM up to 100% concentration
- 🔧 Operates in automatic (survey) mode or manual mode
- 🔧 Utilizes either Helium or Hydrogen\* as a tracer gas Field
- 🔧 replaceable moisture removing cartridge in wand
- 🔧 Lightweight, telescoping ground probe with boot
- 🔧 Rapid charging Ni-MH battery with AC and car adaptors

### Leak Locating Applications

#### **Industrial:**

- 🔧 Industrial Air/Gas/Liquid Piping Systems
- 🔧 Welds, Joints, Seams, Gaskets
- 🔧 Aircraft Oxygen Systems
- 🔧 Electronics Chip Doping
- 🔧 Medical Device Testing
- 🔧 Refrigeration System

#### **Contractor:**

- 🔧 Under Slab or Buried Piping Systems
- 🔧 Secondary Containment Systems
- 🔧 Buried Water Services
- 🔧 Radiant Heat Flooring

#### **Telecom:**

- 🔧 Direct Buried Telephone Cables
- 🔧 Underground Ducted Cables
- 🔧 Air Pipe Systems
- 🔧 Splice Cases

#### **Municipalities:**

- 🔧 Municipal Water Systems

### Features

- 🔧 Tactile Membrane Keypad
- 🔧 Backlit LCD Display
- 🔧 Moisture Indicator in Wand
- 🔧 Field Replaceable Battery
- 🔧 Headphone Jack for Audible Monitoring
- 🔧 Time-lapse Bar Graph Display
- 🔧 Serial Port Output (optional)

### Ordering Information

Part No.	Description
83219	MGD-2002 Multi-Gas Detector Complete Leak Locating Kit with Case
83220	Replacement Moisture Trap Cartridge
82492	Spare Battery
882-0007	Headphones (Not Contained in Kit)

### Warranty

Radiodetection warrants that this product shall be free from defects in workmanship and materials for one year. For details please see our warranty statement.

\* Radiodetection recommends Helium as a tracer gas since the molecular size of Helium is not significantly larger than that of the diatomic Hydrogen molecule and Helium does not react with any other substances. However, if Hydrogen is to be used as the tracer gas a ready-made Hydrogen dilution that is well below the OSHA approved LEL (flammability) limit MUST be used.

# Specialists in Leak Locating



## Global locations

### USA

#### SPX Global Headquarters

13515 Ballantyne Corporate Place  
Charlotte, NC 28277, USA  
Tel: +1 704 752 4400  
[www.spx.com](http://www.spx.com)

#### Radiodetection

28 Tower Road, Raymond, Maine 04071, USA  
Tel: +1 (207) 655 8525  
Toll Free: +1 (877) 247 3797  
Fax: +1 (207) 655 8535  
[rd.sales.us@spx.com](mailto:rd.sales.us@spx.com)  
[www.radiodetection.com](http://www.radiodetection.com)

#### Pearpoint

39-740 Garand Lane, Unit B  
Palm Desert, CA 92211, USA  
Tel: +1 800 688 8094  
Tel: +1 760 343 7350  
Fax: +1 760 343 7351  
[pearpoint.sales.us@spx.com](mailto:pearpoint.sales.us@spx.com)  
[www.radiodetection.com](http://www.radiodetection.com)

#### Radiodetection (Canada)

344 Edgeley Boulevard, Unit 34  
Concord, Ontario L4K 4B7, Canada  
Tel: +1 (905) 660 9995  
Toll Free: +1 (800) 665 7953  
Fax: +1 (905) 660 9579  
[rd.sales.ca@spx.com](mailto:rd.sales.ca@spx.com)  
[www.radiodetection.com](http://www.radiodetection.com)

### EUROPE

#### Radiodetection Ltd. (UK)

Western Drive, Bristol BS14 0AF, UK  
Tel: +44 (0) 117 976 7776  
Fax: +44 (0) 117 976 7775  
[rd.sales.uk@spx.com](mailto:rd.sales.uk@spx.com)  
[www.radiodetection.com](http://www.radiodetection.com)

#### Radiodetection (France)

13 Grande Rue, 76220, Neuf Marché, France  
Tel: +33 (0) 2 32 89 93 60  
Fax: +33 (0) 2 35 90 95 58  
[rd.sales.fr@spx.com](mailto:rd.sales.fr@spx.com)  
<http://fr.radiodetection.com>

#### Radiodetection (Benelux)

Industriestraat 11  
7041 GD 's-Heerenberg, Netherlands  
Tel: +31 (0) 314 66 47 00  
Fax: +31 (0) 314 66 41 30  
[rd.sales.nl@spx.com](mailto:rd.sales.nl@spx.com)  
<http://nl.radiodetection.com>

#### Radiodetection (Germany)

Groendahlscher Weg 118  
46446 Emmerich am Rhein, Germany  
Tel: +49 (0) 28 51 92 37 20  
Fax: +49 (0) 28 51 92 37 520  
[rd.sales.de@spx.com](mailto:rd.sales.de@spx.com)  
<http://de.radiodetection.com>

### ASIA-PACIFIC

#### Radiodetection (Asia-Pacific)

Room 708, CC Wu Building  
302-308 Hennessy Road, Wan Chai  
Hong Kong SAR, China  
Tel: +852 2110 8160  
Fax: +852 2110 9681  
[rd.sales.cn@spx.com](mailto:rd.sales.cn@spx.com)  
[www.radiodetection.com](http://www.radiodetection.com)

#### Radiodetection (China)

Hongfu Mansion, Room 61622  
Zheng Ge Zhuang, Bei Qi Jia Town  
Chang Ping District  
Beijing 102209, China  
Tel: +86 (0) 10 8178 5652  
Fax: +86 (0) 10 8178 5662  
[rd.service.cn@spx.com](mailto:rd.service.cn@spx.com)  
<http://cn.radiodetection.com>

#### Radiodetection (Australia)

Unit H1, 101 Rookwood Road,  
Yagoona NSW 2199, Australia  
Tel: +61 (0) 2 9707 3222  
Fax: +61 (0) 2 9707 3788  
[rd.sales.au@spx.com](mailto:rd.sales.au@spx.com)  
[www.radiodetection.com](http://www.radiodetection.com)

Radiodetection is a leading global developer and supplier of test equipment used by utility companies to help install, protect and maintain their infrastructure networks. Radiodetection is a unit of SPX (NYSE: SPW), a global Fortune 500 multi-industry manufacturing company. With headquarters in Charlotte, N.C., SPX has 18,000 employees in more than 35 countries worldwide. Visit [www.spx.com](http://www.spx.com).

Copyright 2013 Radiodetection Ltd - SPX Corporation. All rights reserved. Radiodetection is a subsidiary of SPX Corporation. SPX, the green ">" and "X" are trademarks of SPX Corporation, Inc. Radiodetection, Dielectric, SmartTech, DRY-PAK are trademarks of Radiodetection Ltd. and SPX Corporation. Due to a policy of continued development, we reserve the right to alter or amend any published specification without notice. This document may not be copied, reproduced, transmitted, modified or used, in whole or in part, without the prior written consent of Radiodetection Ltd.